

Help

```
#include "lrshjm1d_std.h"
#include "math/InterestRateModelTree/TreeLRS1D/TreeLRS1D.h"
#include "pnl/pnl_vector.h"
#include "math/read_market_zc/InitialYieldCurve.h"

//The "#else" part of the code will be freely available after the (year of creat
#if defined(PremiaCurrentVersion) && PremiaCurrentVersion < (2007+2)
static int CHK_OPT(TR_ZBOLRS1D)(void *Opt, void *Mod)
{
    return NONACTIVE;
}
int CALC(TR_ZBOLRS1D)(void *Opt, void *Mod, PricingMethod *Met)
{
    return AVAILABLE_IN_FULL_PREMIA;
}
#else

/// TreeLRS1D      : structure that contains components of the tree (see TreeLRS1
/// ModelLRS1D     : structure that contains the parameters of the Hull&White on
/// ZCMarketData : structure that contains the Zero Coupon Bond prices of the ma

/// Computation of the payoff at the final time of the tree (ie the ZB0 maturity

static double cf_lrs1d_zcb(ZCMarketData *ZCMarket, double t, double r0, double p
{
    if (t == 0)
    {
        return BondPrice(T, ZCMarket);
    }
    else
    {
        double price;
        double P0_t, P0_T, P0_t_plus, P0_t_minus, f0_t, CapitalLambda;
        double dt;

        CapitalLambda = (1 - exp(-kappa * (T - t))) / kappa;

        dt = INC * t;
```

```

    PO_t = BondPrice(t, ZCMarket);

    PO_T = BondPrice(T, ZCMarket);

    PO_t_plus  = BondPrice(t + dt, ZCMarket);

    PO_t_minus = BondPrice(t - dt, ZCMarket);

    f0_t = -(log(PO_t_plus) - log(PO_t_minus)) / (2 * dt);

    //Price of Zero Coupon Bond
    price = (PO_T / PO_t) * exp(-SQR(CapitalLambda) * phi0 / 2 + CapitalLambda

    return price;
}

}

static void ZB0_InitialPayoffLRS1D(TreeLRS1D *Meth, ModelLRS1D *ModelParam, ZCMarket *ZCMarket)
{
    double sigma, rho, kappa, lambda;

    int j, h;
    double delta_y, delta_t, sqrt_delta_t;
    double y_00, y_ih, r_ih, phi_ihj;

    double ZCPrice;

    /// Model Parameters
    kappa = (ModelParam->Kappa);
    sigma = (ModelParam->Sigma);
    rho = (ModelParam->Rho);
    lambda = (ModelParam->Lambda);

    pnl_vect_resize(OptionPriceVect2, 6 * (Meth->Ngrid) - 3);

    delta_t = GET(Meth->t, 1) - GET(Meth->t, 0);
    sqrt_delta_t = sqrt(delta_t);
    delta_y = lambda * sqrt_delta_t;

```

```

y_00 = r_to_y(ModelParam, -log(BondPrice(GET(Meth->t, 1), ZCMarket)) / delta_t

for (h = 0; h <= 2 * (Meth->Ngrid); h++) /// h : numero de la box
{
    y_ih = y_00 + ((Meth->Ngrid) - h) * delta_y;
    r_ih = y_to_r(ModelParam, y_ih);

    for (j = 0; j < number_phi_in_box(Meth->Ngrid, h); j++) /// Boucle sur les
    {
        phi_ihj = phi_value(Meth, Meth->Ngrid, h, j);

        ZCPrice = cf_lrs1d_zcb(ZCMarket, T, r_ih, phi_ihj, kappa, sigma, rho,

        LET(OptionPriceVect2, index_tree(Meth->Ngrid , h, j)) = (p->Compute)(p

    }
}

}

/// Backward computation of the price of a Zero Coupon Bond
static void ZBO_BackwardIterationLRS1D(TreeLRS1D *Meth, ModelLRS1D *ModelParam,
{
    double sigma, rho, kappa, lambda;

    int i, j, h, index;
    double delta_y, delta_t, sqrt_delta_t;
    double price_up, price_middle, price_down;
    double y_00, y_ih, r_ih, phi_ihj, phi_next, ZCPrice;

    PnlVect *proba_from_ij;

    proba_from_ij = pnl_vect_create(3);

    ///***** Model parameters *****///
    kappa = (ModelParam->Kappa);
    sigma = (ModelParam->Sigma);
    rho = (ModelParam->Rho);
    lambda = (ModelParam->Lambda);

```

```

delta_t = GET(Meth->t, 1) - GET(Meth->t, 0);
y_00 = r_to_y(ModelParam, -log(BondPrice(GET(Meth->t, 1), ZCMarket)) / delta_t

for (i = index_last - 1; i >= index_first; i--)
{
    pnl_vect_resize(OptionPriceVect1, 6 * i - 3); // OptionPriceVect1 := Price

    delta_t = GET(Meth->t, i + 1) - GET(Meth->t, i);
    sqrt_delta_t = sqrt(delta_t);
    delta_y = lambda * sqrt_delta_t;

    for (h = 0; h <= 2 * i; h++) /// h : numero de la box
    {
        y_ih = y_00 + (i - h) * delta_y;
        r_ih = y_to_r(ModelParam, y_ih);

        for (j = 0; j < number_phi_in_box(i, h); j++) /// Boucle sur les vale
        {
            phi_ihj = phi_value(Meth, i, h, j);

            phi_next = phi_ihj * (1 - 2 * kappa * delta_t) + SQR(sigma) * pow(

            price_up      = Interpolation(Meth, i + 1, h , OptionPriceVect2, p
            price_middle = Interpolation(Meth, i + 1, h + 1, OptionPriceVect2,
            price_down    = Interpolation(Meth, i + 1, h + 2, OptionPriceVect2,

            probabilities(GET(Meth->t, i), y_ih, phi_ihj, lambda, sqrt_delta_t

            index = index_tree(i, h, j);

            LET(OptionPriceVect1, index) = exp(-r_ih * delta_t) * (GET(proba_f

            if (Eur_Or_Am != 0)
            {
                ZCPrice = cf_lrs1d_zcb(ZCMarket, GET(Meth->t, i), r_ih, phi_ih
                // In the case of american option, decide wether to exerice th
                if (GET(OptionPriceVect1, index) < (p->Compute)(p->Par, ZCPric
                {
                    LET(OptionPriceVect1, index) = (p->Compute)(p->Par, ZCPric
                }
            }
        }
    }
}

```

```

        }
    }

    pnl_vect_clone(OptionPriceVect2, OptionPriceVect1); // Copy OptionPriceVect1 to OptionPriceVect2

} // END of the loop on i (time)

pnl_vect_free(&proba_from_ij);

}

/// Price at time "s" of a ZC bond maturing at "T" using a trinomial tree.
static double tr_lrs1d_zbo(TreeLRS1D *Meth, ModelLRS1D *ModelParam, ZCMarketData *ZCMarketData)
{
    double lambda;

    double delta_y; // delta_x1 = space step of the process x at time i ; delta_x2 = space step of the process x at time i+1
    double delta_t, sqrt_delta_t; // time step

    double OptionPrice, OptionPrice1, OptionPrice2;
    int i_s, h_r;
    double theta;
    double y_r, y_ih, y_00, r_00;

    PnlVect *proba_from_ih;
    PnlVect *OptionPriceVect1; // Matrix of prices of the option at i
    PnlVect *OptionPriceVect2; // Matrix of prices of the option at i+1

    proba_from_ih = pnl_vect_create(3);
    OptionPriceVect1 = pnl_vect_create(1);
    OptionPriceVect2 = pnl_vect_create(1);

    ///***** Model parameters *****/
    lambda = (ModelParam->Lambda);

    ///***** Computation of the vector of payoff at the maturity of the option *****/
    ZBO_InitialPayoffLRS1D(Meth, ModelParam, ZCMarket, OptionPriceVect2, p, T, S);

    ///***** Backward computation of the option price until time s*****/

```

```

i_s = indiceTimeLRS1D(Meth, s); // Localisation of s on the tree

delta_t = GET(Meth->t, 1) - GET(Meth->t, 0);
sqrt_delta_t = sqrt(delta_t);

r_00 = -log(BondPrice(GET(Meth->t, 1), ZCMarket)) / delta_t;
y_00 = r_to_y(ModelParam, r_00);

if (i_s == 0) // If s=0
{
    ZBO_BackwardIterationLRS1D(Meth, ModelParam, ZCMarket, OptionPriceVect1, 0);

    probabilities(GET(Meth->t, 0), y_00, 0, lambda, sqrt_delta_t, ModelParam,
        OptionPriceVect1, 0);
    OptionPrice = exp(-r_00 * delta_t) * (GET(proba_from_ih, 0) * GET(OptionPriceVect1, 0));
}

else
{
    // We compute the price of the option as a linear interpolation of the price at the nodes

    delta_t = GET(Meth->t, i_s + 1) - GET(Meth->t, i_s);
    sqrt_delta_t = sqrt(delta_t);
    delta_y = lambda * sqrt_delta_t;

    y_r = r_to_y(ModelParam, r);

    h_r = (int) floor(i_s - (y_r - y_00) / delta_y); // y_r between y(h_r) et y(i_s)

    y_ih = y_00 + (i_s - h_r) * delta_y;

    if (h_r < 0 || h_r > 2 * i_s)
    {
        printf("WARNING : Instantaneous futur spot rate is out of tree\ n");
        exit(EXIT_FAILURE);
    }

    ZBO_BackwardIterationLRS1D(Meth, ModelParam, ZCMarket, OptionPriceVect1, 0);

    theta = (y_ih - y_r) / delta_y;
}

```

```

    OptionPrice1 = MeanPrice(Meth, i_s, h_r, OptionPriceVect2); //Interpolation
    OptionPrice2 = MeanPrice(Meth, i_s, h_r + 1, OptionPriceVect2); // Interpolation
    OptionPrice = (1 - theta) * OptionPrice1 + theta * OptionPrice2 ;
}

pnl_vect_free(& OptionPriceVect1);
pnl_vect_free(& OptionPriceVect2);
pnl_vect_free(&proba_from_ih);

return OptionPrice;

}

static int tr_zbold(int flat_flag, double t, double r0, char *curve, double kappa)
{
    TreeLRS1D Tr;
    ModelLRS1D ModelParams;
    ZCMarketData ZCMarket;

    //N_steps = 300;
    //T = 6;

    /* Flag to decide to read or not ZC bond datas in "initialyields.dat" */
    /* If P(0,T) not read then P(0,T)=exp(-r0*T) */
    if (flat_flag == 0)
    {
        ZCMarket.FlatOrMarket = 0;
        ZCMarket.Rate = r0;
    }

    else
    {
        ZCMarket.FlatOrMarket = 1;
        ZCMarket.filename = curve;
        ReadMarketData(&ZCMarket);

        if (T > GET(ZCMarket.tm, ZCMarket.Nvalue - 1))

```

```

        {
            printf("\ nError : time bigger than the last time value entered in ini
            exit(EXIT_FAILURE);
        }
    }

    ModelParams.Kappa = kappa;
    ModelParams.Sigma = sigma;
    ModelParams.Rho = rho;
    ModelParams.Lambda = lambda;

    // Construction of the Time Grid
    SetTimegridLRS1D(&Tr, N_steps, t, T);

    // Construction of the tree, calibrated to the initial yield curve
    SetTreeLRS1D(&Tr, &ModelParams, &ZCMarket);

    //Price of Zero Coupon Bond
    *price = tr_lrs1d_zbo(&Tr, &ModelParams, &ZCMarket, T, t, r0, p, Eur_Or_Am, S)

    DeleteTreeLRS1D(&Tr);
    DeleteZCMarketData(&ZCMarket);

    return OK;
}

///  

//***** PREMIA FUNCTIONS *****  

int CALC(TR_ZBOLRS1D)(void *Opt, void *Mod, PricingMethod *Met)
{
    TYPEOPT *ptOpt = (TYPEOPT *)Opt;
    TYPEMOD *ptMod = (TYPEMOD *)Mod;

    return tr_zbo1d(ptMod->flat_flag.Val.V_INT,
                    ptMod->T.Val.V_DATE,
                    MOD(GetYield)(ptMod),
                    MOD(GetCurve)(ptMod),
                    ptMod->Kappa.Val.V_DOUBLE,
                    ptMod->Sigma.Val.V_PDOUBLE,
                    ptMod->Rho.Val.V_PDOUBLE,

```



```

        ptMod->Lambda.Val.V_PDOUBLE,
        ptOpt->OMaturity.Val.V_DATE,
        ptOpt->BMaturity.Val.V_DATE,
        ptOpt->PayOff.Val.V_NUMFUNC_1,
        ptOpt->EuOrAm.Val.V_BOOL,
        Met->Par[0].Val.V_LONG,
        &(Met->Res[0].Val.V_DOUBLE));
    }
static int CHK_OPT(TR_ZBOLRS1D)(void *Opt, void *Mod)
{
    if ((strcmp(((Option *)Opt)->Name, "ZeroCouponCallBondEuro") == 0) || (strcmp(
        return OK;
    else
        return WRONG;
}
#endif //PremiaCurrentVersion

static int MET(Init)(PricingMethod *Met, Option *Opt)
{
    if (Met->init == 0)
    {
        Met->init = 1;
        Met->Par[0].Val.V_LONG = 200;
    }
    return OK;
}

PricingMethod MET(TR_ZBOLRS1D) =
{
    "TR_LRS1D_ZBO",
    { {"TimeStepNumber", LONG, {100}, ALLOW},
      {" ", PREMIA_NULLTYPE, {0}, FORBID}
    },
    CALC(TR_ZBOLRS1D),
    {{"Price", DOUBLE, {100}, FORBID}, {" ", PREMIA_NULLTYPE, {0}, FORBID}},
    CHK_OPT(TR_ZBOLRS1D),
    CHK_ok,
    MET(Init)
} ;

```