

## [Help](#)

```
#include <stdlib.h>
#include "
href../../mod/vasicek1d/vasicek1d_stdi/vasicek1d_stdi_h_src.pdfvasicek1d_stdi
#include "
href../../common/error_msg_h_src.pdferror_msg.h"

/*Product*/
static double dt, dr, r_min, r_max;
static double *r_vect;
static double *V, *Vp, *Ps;
static double *beta, *alpha_r, *beta_r, *gamma_r_, *alpha_l, *beta_l, *gamma_l;

/*Memory Allocation*/
static int memory_allocation(int Nt, int Ns)
{

    r_vect = malloc((Ns + 1) * sizeof(double));
    if (r_vect == NULL)
        return MEMORY_ALLOCATION_FAILURE;

    V = malloc((Ns + 1) * sizeof(double));
    if (V == NULL)
        return MEMORY_ALLOCATION_FAILURE;

    Vp = malloc((Ns + 1) * sizeof(double));
    if (Vp == NULL)
        return MEMORY_ALLOCATION_FAILURE;

    Ps = malloc((Ns + 1) * sizeof(double));
    if (Ps == NULL)
        return MEMORY_ALLOCATION_FAILURE;

    beta = malloc((Ns + 1) * sizeof(double));
    if (beta == NULL)
        return MEMORY_ALLOCATION_FAILURE;

    alpha_l = malloc((Ns + 1) * sizeof(double));
    if (alpha_l == NULL)
        return MEMORY_ALLOCATION_FAILURE;
```

```

    beta_l = malloc((Ns + 1) * sizeof(double));
    if (beta_l == NULL)
        return MEMORY_ALLOCATION_FAILURE;

    gamma_l = malloc((Ns + 1) * sizeof(double));
    if (gamma_l == NULL)
        return MEMORY_ALLOCATION_FAILURE;

    alpha_r = malloc((Ns + 1) * sizeof(double));
    if (alpha_r == NULL)
        return MEMORY_ALLOCATION_FAILURE;

    beta_r = malloc((Ns + 1) * sizeof(double));
    if (beta_r == NULL)
        return MEMORY_ALLOCATION_FAILURE;

    gamma_r_ = malloc((Ns + 1) * sizeof(double));
    if (gamma_r_ == NULL)
        return MEMORY_ALLOCATION_FAILURE;

    return OK;
}

/*Memory Desallocation*/
static void free_memory(int Nt)
{
    free(beta);
    free(alpha_r);
    free(beta_r);
    free(gamma_r_);
    free(alpha_l);
    free(beta_l);
    free(gamma_l);
    free(r_vect);
    free(V);
    free(Vp);
    free(Ps);

    return;
}

```

```

}

/*Zero Coupon Bond*/
static int zcb_vasicek(int Nt, int Ns)
{
    int i, TimeIndex;

    /*Maturity conditions for pure discount Bond*/
    for (i = 0; i <= Ns; i++)
        Ps[i] = 1.;

    /*Finite Difference Cycle*/
    for (TimeIndex = Nt - 1; TimeIndex >= 0; TimeIndex--)
    {
        /*Right factor*/
        for (i = 1; i < Ns; i++)
            V[i] = alpha_r[i] * Ps[i - 1] + beta_r[i] * Ps[i] + gamma_r[i] * Ps[i + 1];

        /*Backward Steps*/
        Vp[Ns - 1] = V[Ns - 1];
        beta[Ns - 1] = beta_l[Ns - 1];
        for (i = Ns - 2; i >= 1; i--)
        {
            beta[i] = beta_l[i] - gamma_l[i] * alpha_l[i + 1] / beta[i + 1];
            Vp[i] = V[i] - gamma_l[i] * Vp[i + 1] / beta[i + 1];
        }

        /*Forward Steps*/
        Ps[1] = Vp[1] / beta[1];
        for (i = 2; i < Ns; i++)
            Ps[i] = (Vp[i] - alpha_l[i] * Ps[i - 1]) / beta[i];
    }

    return 1.;
}

/*Zero Bond Computation*/
static int zbo_vasicek1d(double r0, double k, double t0, double sigma, double th)
{
    int i, j;
    double val, val1, sigma2;

```

```

/*Space Localisation*/
memory_allocation(Nt, Ns);
sigma2 = SQR(sigma);
dt = (T - t0) / (double)Nt;
r_min = -3.;
r_max = 3.;
dr = (r_max - r_min) / (double)Ns;
r_vect[0] = r_min;
for (i = 0; i <= Ns; i++)
    r_vect[i] = r_min + (double)i * dr;

/*Computation of the Matrix*/
for (i = 1; i < Ns; i++)
{
    /*Computation of Rhs coefficients*/
    alpha_r[i] = (1. - cn_theta) * (0.5 * sigma2 * (dt / SQR(dr)) - 0.5 * k *
    beta_r[i] = 1. - (1. - cn_theta) * (sigma2 * (dt / SQR(dr)) + r_vect[i] *
    gamma_r[i] = (1. - cn_theta) * (0.5 * sigma2 * (dt / SQR(dr)) + 0.5 * k *

    /*Computation of Lhs coefficients*/
    alpha_l[i] = cn_theta * (-0.5 * sigma2 * (dt / SQR(dr)) + 0.5 * k * (theta
    beta_l[i] = 1. + cn_theta * (sigma2 * (dt / SQR(dr)) + r_vect[i] * dt);
    gamma_l[i] = cn_theta * (-0.5 * sigma2 * (dt / SQR(dr)) - 0.5 * k * (theta
}

/*Compute Zero Coupon Prices*/
zcb_vasicek(Nt, Ns);

/*Linear Interpolation*/
j = 0;
while (r_vect[j] < r0) j++;
val = Ps[j];
val1 = Ps[j - 1];

/*Price*/
*price = val + (val - val1) * (r0 - r_vect[j]) / (r_vect[j] - r_vect[j - 1]);

/*Memory Disallocation*/
free_memory(Nt);

```

```

    return OK;
}

int CALC(FD_GaussZCBond)(void *Opt, void *Mod, PricingMethod *Met)
{
    TYPEOPT *ptOpt = (TYPEOPT *)Opt;
    TYPEMOD *ptMod = (TYPEMOD *)Mod;

    return zbo_vasicek1d(ptMod->r0.Val.V_PDDOUBLE, ptMod->k.Val.V_DOUBLE, ptMod->T.
}

static int CHK_OPT(FD_GaussZCBond)(void *Opt, void *Mod)
{
    if ((strcmp(((Option *)Opt)->Name, "ZeroCouponBond") == 0))
        return OK;
    else
        return WRONG;
}

static int MET(Init)(PricingMethod *Met, Option *Opt)
{
    if (Met->init == 0)
    {
        Met->init = 1;

        Met->Par[0].Val.V_INT2 = 300;
        Met->Par[1].Val.V_INT2 = 300;
        Met->Par[2].Val.V_RGDOUBLE = 0.5;

    }
    return OK;
}

PricingMethod MET(FD_GaussZCBond) =
{
    "FD_Gauss_Vasicek1d_ZCBond",
    { {"SpaceStepNumber", INT2, {100}, ALLOW }, {"TimeStepNumber", INT2, {100}, A
        {" ", PREMIA_NULLTYPE, {0}, FORBID}

```

```
},  
CALC(FD_GaussZCBond),  
{{"Price", DOUBLE, {100}, FORBID}, {" ", PREMIA_NULLTYPE, {0}, FORBID}},  
CHK_OPT(FD_GaussZCBond),  
CHK_ok,  
MET(Init)  
} ;
```