

[Help](#)

```
#include "cgmy1d.h"
#include "chk.h"
#include "error_msg.h"
#include "model.h"

extern char *path_sep;

static int MOD(Init)(Model *model)
{
    TYPEMOD *pt = (TYPEMOD *) (model->TypeModel);
    if (model->init == 0)
    {
        model->init = 1;
        model->nvar = 0;
        pt->T.Vname = "Current Date";
        pt->T.Vtype = DATE;
        pt->T.Val.V_DATE = 0.;
        pt->T.Viter = ALLOW;
        model->nvar++;

        pt->S0.Vname = "Spot";
        pt->S0.Vtype = PDOUBLE;
        pt->S0.Val.V_PDOUBLE = 100.;
        pt->S0.Viter = ALLOW;
        model->nvar++;

        pt->Mu.Vname = "Trend";
        pt->Mu.Vtype = DOUBLE;
        pt->Mu.Val.V_DOUBLE = 0.;
        pt->Mu.Viter = ALLOW;
        model->nvar++;

        pt->Divid.Vname = "Annual Dividend Rate";
        pt->Divid.Vtype = DOUBLE;
        pt->Divid.Val.V_DOUBLE = 0.;
        pt->Divid.Viter = ALLOW;
        model->nvar++;
    }
}
```

```
    pt->R.Vname = "Annual Interest Rate";
    pt->R.Vtype = DOUBLE;
    pt->R.Val.V_DOUBLE = 10.;
    pt->R.Viter = ALLOW;
    model->nvar++;

    pt->C.Vname = "C";
    pt->C.Vtype = PDOUBLE;
    pt->C.Val.V_PDOUBLE = 0.5;
    pt->C.Val.V_PDOUBLE = 0.024400;
    pt->C.Viter = ALLOW;
    model->nvar++;

    pt->G.Vname = "G";
    pt->G.Vtype = PDOUBLE;
    pt->G.Val.V_PDOUBLE = 2;
    pt->G.Val.V_PDOUBLE = 0.076500;
    pt->G.Viter = ALLOW;
    model->nvar++;

    pt->M.Vname = "M";
    pt->M.Vtype = PDOUBLE;
    pt->M.Val.V_PDOUBLE = 3.5;
    pt->M.Val.V_PDOUBLE = 7.551500;
    pt->M.Viter = ALLOW;
    model->nvar++;

    pt->Y.Vname = "Y";
    pt->Y.Vtype = PDOUBLE;
    pt->Y.Val.V_PDOUBLE = 0.5;
    pt->Y.Val.V_PDOUBLE = 1.294500;
    pt->Y.Viter = ALLOW;
    model->nvar++;

}

return OK;
}

TYPEMOD CGMY1dim;
```

```
MAKEMOD(CGMY1dim);
```