

## [Help](#)

```
#include "
href../../../../mod/merhes1d/merhes1d_vol/merhes1d_vol_h_src.pdfmerhes1d_vol.h"

#if defined(PremiaCurrentVersion) && PremiaCurrentVersion < (2010+2) //The "#els
static int CHK_OPT(CF_MERHES_VARIANCESWAP)(void *Opt, void *Mod)
{
    return NONACTIVE;
}
int CALC(CF_MERHES_VARIANCESWAP)(void *Opt, void *Mod, PricingMethod *Met)
{
    return AVAILABLE_IN_FULL_PREMIA;
}
#else

/*////////////////////////////////////////*/

static int cf_merhes_varswap(double sigma0, double ka, double theta, double sigma0,
                             double rhow, double r, double divid, double T, double
                             double gamma, double nu, double delta, double Spot
{
    double val, kk;
    double pvfactor = exp(-r * T);

    kk = ka * T;

    val = theta + (sigma0 - theta) * (1.0 - exp(-kk)) / kk + gamma * (nu * nu + de

    *fairval = val * 10000.0;

    *Price = pvfactor * (val * 10000.0 - Strike * Strike);
    return OK;
}

int CALC(CF_MERHES_VARIANCESWAP)(void *Opt, void *Mod, PricingMethod *Met)
{
    TYPEOPT *ptOpt = (TYPEOPT *)Opt;
```

```

TYPEMOD *ptMod = (TYPEMOD *)Mod;
double r, divid, strike, spot;
NumFunc_1 *p;

r = log(1. + ptMod->R.Val.V_DOUBLE / 100.);
divid = log(1. + ptMod->Divid.Val.V_DOUBLE / 100.);
p = ptOpt->PayOff.Val.V_NUMFUNC_1;
strike = p->Par[0].Val.V_DOUBLE;
spot = ptMod->S0.Val.V_DOUBLE;

return cf_merhes_varswap(
    ptMod->Sigma0.Val.V_PDOUBLE
    , ptMod->MeanReversion.Val.V_PDOUBLE,
    ptMod->LongRunVariance.Val.V_PDOUBLE,
    ptMod->Sigma.Val.V_PDOUBLE,
    ptMod->Rho.Val.V_PDOUBLE,
    r, divid,
    ptOpt->Maturity.Val.V_DATE - ptMod->T.Val.V_DATE,
    strike,
    ptMod->Lambda.Val.V_PDOUBLE,
    ptMod->Mean.Val.V_DOUBLE,
    ptMod->Variance.Val.V_PDOUBLE, spot,
    &(Met->Res[0].Val.V_DOUBLE)/*FAIRVAL*/,
    &(Met->Res[1].Val.V_DOUBLE)/*PRICE*/);
}

static int CHK_OPT(CF_MERHES_VARIANCESWAP)(void *Opt, void *Mod)

{
    if ((strcmp(((Option *)Opt)->Name, "VarianceSwap") == 0))
        return OK;

    return WRONG;
}

#endif //PremiaCurrentVersion
static int MET(Init)(PricingMethod *Met, Option *Opt)
{

```

```

    return OK;
}

PricingMethod MET(CF_MERHES_VARIANCESWAP) =
{
    "CF_MERHES_VARIANCESWAP",
    { {" ", PREMIA_NULLTYPE, {0}, FORBID}},
    CALC(CF_MERHES_VARIANCESWAP),
    { {"Fair strike for variance swap", DOUBLE, {100}, FORBID},
      {"Price in 10000 variance points", DOUBLE, {100}, FORBID},
      {" ", PREMIA_NULLTYPE, {0}, FORBID}
    },
    CHK_OPT(CF_MERHES_VARIANCESWAP),
    CHK_ok ,
    MET(Init)
} ;

/*////////////////////////////////////////*/

```